


Accessoires de Câblage

Séparateur

Cable accessories


Separator

- Définissent la distance séparant deux torons de câble parallèles ou croisés
- *Maintain clearance between two parallel or crossing cable harnesses*
- Disponible dans 9 versions (voir caractéristiques techniques)
- *9 different versions available (see technical data)*
- Application militaire, aéronautique et industrielle.
- *For military, aeronautical and industrial applications*




CARACTERISTIQUES TECHNIQUES / TECHNICAL DATA

- Matière : Thermoplastique translucide UL 94 V0
- *Material : translucent thermoplastic UL 94 V0*
- Tenue en température : -55°C +130°C
- *Operating temperature : -67°F + 266°F*
- Chocs et vibrations : suivant DO160D sec. 7 & 8
- *Shocks & Vibrations : according to DO160D sec. 7 & 8*
- Tenue en traction au niveau des têtes: min. 200N
- *Tensile strenght between the heads : min. 200N*
- Qualifié suivant standard Airbus ABS1144
- *Qualified to Airbus Standard ABS1144*



Références Part number	Airbus Part number	Nombre de composants / number of parts					Ø câble acceptable (mm) acceptable cable Ø (inch)		L (mm) L (inch)	Masse (g) Mass (lb) (± 10%)
		Tête 1 Head 1	Tête 2 Head 2	Tube 1 Tube 1	Tube 2 Tube 2	Tube 3 Tube 3				
3308 8301 000	ABS1144A25A	2	-	1	-	-	0 à 16	(0 to 0,63)	25 / (0,98)	4,65
3308 8302 000	ABS1144A50A	2	-	-	1	-	0 à 16	(0 to 0,63)	50 / (1,97)	6,33
3308 8303 000	ABS1144A75A	2	-	-	-	1	0 à 16	(0 to 0,63)	75 / (2,95)	7,81
3308 8304 000	ABS1144B25A	-	2	1	-	-	16 à 45	(0,63 to 1,77)	25 / (0,98)	6,96
3308 8305 000	ABS1144B50A	-	2	-	1	-	16 à 45	(0,63 to 1,77)	50 / (1,97)	8,63
3308 8306 000	ABS1144B75A	-	2	-	-	1	16 à 45	(0,63 to 1,77)	75 / (2,95)	10,11
3308 8307 000	ABS1144C25A	1	1	1	-	-	0 à 16 & 16 à 45	(0 to 0,63 & 0,63 to 1,77)	25 / (0,98)	5,81
3308 8308 000	ABS1144C50A	1	1	-	1	-	0 à 16 & 16 à 45	(0 to 0,63 & 0,63 to 1,77)	50 / (1,97)	7,48
3308 8309 000	ABS1144C75A	1	1	-	-	1	0 à 16 & 16 à 45	(0 to 0,63 & 0,63 to 1,77)	75 / (2,95)	8,96

Pour toutes autres définitions, consulter Amphenol-Air LB GmbH / For all others definitions, contact Amphenol Air LB GmbH

DescriptionSpacer tube for Separator 25 mm


AALB-G

Am Kleinbahnhof 4 D-66740 SAARLOUIS
Phone: +49 (0)6831/9810-23
Fax: +49 (0)6831/9810-20


TITLE	
-------	--

Spacer assy 25 mm
for
cable 0-16 mm


Nº 3308-8301-000



Position	Reference	Description
1	3308_3011_000	Spacer Head for cable 0 to 16 mm
2	3308_3002_000	Spacer tube for Separator 50 mm




					B	Change of Marking	11-Jul-03	R. PEROUIN
					A	First Issue	12-May-03	R. PEROUIN
ISSUE	EVLUTION	DATE	NAME	ISSUE	EVOLUTION	DATE	NAME	
<i>This Pro/Eng drawing is AALB-G property and no part may be reproduced or distributed in any form without the prior permission in writing of AALB-G.</i>								
DESIGNED R. PEROUIN DATE : 12-May-03	GENERAL LIMITS $\pm 0,1$	SCALE 2 / 1						
CHECKED DATE :	SURFACE ROUGHNESS	A 3						
APPROVED DATE :	MATERIAL							
APPLICABLE DOCUMENT :			TITLE	Spacer assy 50 mm for cable 0-16 mm				
N° 3308_8302_000			B					
			A					
			ISSUE					




Position	Reference	Description
1	3308_3012_000	Spacer Head for cable 16 to 45 mm
2	3308_3002_000	Spacer tube for Separator 50 mm

								R. PERQUIN	
				B	Change of Marking		11-Jul-03	R. PERQUIN	
				A	First Issue		13-May-03	R. PERQUIN	
ISSUE	EVLUTION	DATE	NAMF	ISSUE	EVLUTION	DATE	NAMF		
<i>This Pro/Eng drawing is AALB-G property and no part may be reproduced or distributed in any form without the prior permission in writing of AALB-G.</i>									
DESIGNED R. PERQUIN DATE : 13-May-03	GENERAL LIMITS $\pm 0,1$	SCLAF 1,500/I	AALB-G						
CHECKED	SURFACE ROUGHNESS	A 3	Am Kleinbahnhof 4 D-66740 SAARLOUIS						
DATE :	MATERIAL		Phone.: +49 (0)6831/9810-23 Fax.: +49 (0)6831/9810-20						
APPROVED									
DATE :									
APPLICABLE DOCUMENT :			TITLE	Spacer assy 50 mm for cable 16-45 mm					
			B						
			A						
N° 3308_8305_000									ISSUE




Position	Reference	Description
1	3308_3012_000	Spacer Head for cable 16 to 45 mm
2	3308_3003_000	Spacer tube for Separator 75 mm

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--




Position	Reference	Description
1	3308_3011_000	Spacer Head for cable 0 to 16 mm
2	3308_3001_000	Spacer tube for Separator 25 mm
3	3308_3012_000	Spacer Head for cable 16 to 45 mm

[illegible]



Position	Reference	Description
1	3308_3011_000	Spacer Head for cable 0 to 16 mm
2	3308_3002_000	Spacer tube for Separator 50 mm
3	3308_3012_000	Spacer Head for cable 16 to 45 mm

[illegible]



Position	Reference	Description
1	3308_3011_000	Spacer Head for cable 0 to 16 mm
2	3308_3003_000	Spacer tube for Separator 75 mm
3	3308_3012_000	Spacer Head for cable 16 to 45 mm

										R. PERQUIN		
								Change of Marking	11-Jul-03	R. PERQUIN		
								First Issue	19-May-03	R. PERQUIN		
ISSUE		EVLUTION	DATE	NAME	ISSUE				DATE	NAME		
This Pro/Eng drawing is AALB-G property and no part may be reproduced or distributed in any form without the prior permission in writing of AALB-G.												
DESIGNED R. PERQUIN		GENERAL LIMITS		SCALE		AALB-G Am Kleinbahnhof 4 D-66740 SAARLOUIS Phone: +49 (0)6831/9810-23 Fax: +49 (0)6831/9810-20						
DATE : 19-May-03		± 0,1		2/1								
CHECKED	SURFACE ROUGHNESS		A 3									
DATE :												
APPROVED	MATERIAL											
DATE :					Spacer assy 75 mm for cable 0-16 mm and 16-45 mm							
APPLICABLE DOCUMENT :											TITLE	
N° 3308_8309_000					ISSUE							